ASSIGNED

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	Date of filing in State Engineer's Office	4PK 13 1988
Retu	Returned to applicant for correction	
Corr	Correction application filed	
Мар	Map filed	PR 1,3 1988, under 52005
	The applicant ATHENA GOLD CORPORATION	
530	5301 LONGLEY LANE , of	RENO City or Town
NEV	NEVADA 89511 , hereby make. State and Zip Code No.	application for permission to appropriate the public
wate	waters of the State of Nevada, as hereinafter stated. (If applications)	ant is a corporation, give date and place of incorpora-
tion;	tion; if a copartnership or association, give names of members) DECEMBER 1, 1983
at '	at Vancouver B.C.	1000
		
1.	1. The source of the proposed appropriation is UNDER	ame of stream, lake, spring, underground or other source
2.	2. The amount of water applied for is	second-feet
	(a) If stored in reservoir give number of acre-feet	
3.	3. The water to be used for MILLING & MINING	
4.		nufacturing, domestic, or other use. Must limit to one use.
	(a) Irrigation, state number of acres to be irrigated:	
	(b) Stockwater, state number and kinds of animals to be v	
		•
	(c) Other use (describe fully under "No. 12. Remarks"	
	(d) Power:	
	(1) Horsepower developed	
	(2) Point of return of water to stream	
5.		g point: SE\ SW\ Sec. 3 T. 18NR. 24E.at. a Describe as being within a 40-acre subdivision of public
	point <u>from whence the East one quarter Section</u> survey, and by course and distance to a section corner. If on unsurveyed la	
	3936.08.feet	
6.	•	. •
٠.	6. Place of use Sk Sec 3 - T18N , R24E Describe by legal subdivision. I	
		•
	_	
		·
7.	7. Use will be begin about JANUARY 1 and end al Month and Day	pout DECEMBER 31, of each year.
8.	8. Description of proposed works. (Under the provisions of	NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.)ELE	CTRICALLY DRIVEN PUMP 10 INCH CASED ner in which water is to be diverted, i.e. diversion structure, ditches and
WELI	ATT T	

9. Estimated cost of works...\$25,,000..00...

Compared Protested Pro. This if following lifthe fina of right shall the A to near place of sour NRS here on p (CON) The amour not to exceed mill Work must	kr/se in pm/se 7/11/88 by TCID wdr. 10-28-88 APPROVE s to certify that I have examined the mitations and conditions: This permit is issued as amount of water herein go amount of water herein go amount of water herein go amount of water actually placed to the must allow for a reasonable be equipped with a two (well is flowing, a valve more than the point of diversions to beneficial use. The water begins, or before see is located within an as 534.030. The State retaining mater and all to this permit does not extend the point of corporate or co	By	_
Compared. Protested	kr/se pm/se 7/11/88 by TCID wdr. 10-28-88 APPROVE s to certify that I have examined the mitations and conditions: This permit is issued so amount of water herein go amount of water herein go amount of water herein go amount of water actually placed to the must allow for a reasonable be equipped with a two (well is flowing, a valve motalizing meter must be in the point of diversion to beneficial use. The water begins, or before the is located within an as 534.030. The State retain granted at any and all the This Permit does not extend the point of corporate TINUED ON PAGE 2) It of water to be appropriated shall be a second to the state of the point of corporate to the state of the point of corporate to the point of water to be appropriated shall be a second to the point of water to be appropriated shall be a second to the point of the	By	Athena Gold Corporation /s/Bruce G. Hansen, agent 5301 Longley Lane Reno, Nevada 89511 E ENGINEER In, and do hereby grant the same, subject to sing rights. It is understood that a temporary allowance and that will be dependent upon the amount it is also understood that the static water level. This was for measuring depth to water d and maintained to prevent was intained in the discharge pipel: measurements must be kept of was r must be installed before any to Completion of Work is filed. The by the State Engineer, pursuant t to regulate the use of the was
Protested	APPROVA s to certify that I have examined the mitations and conditions: This permit is issued so amount of water herein go a water actually placed to the must allow for a reasonable be equipped with a two (if well is flowing, a valve more than the point of diversion to beneficial use. The water begins, or before the is located within an asserting meter must be in the point of diversion to be a located within an asserting meter and all the transfer of the point of diversion to be a located within an asserting meter and all the transfer of the point of diversion to be a located within an asserting meter and all the point of the point of diversion to be a located within an asserting meter and all the point of th	foregoing application ubject to exist ranted is only der this permit beneficial use le lowering of 2) inch opening ust be installed nstalled and ma and accurate in totalizing mete the Proof of rea designated in ains the righ imes. end the permitt	/s/Bruce G. Hansen, agent 5301 Longley Lane Reno, Nevada 89511 E ENGINEER In, and do hereby grant the same, subject to sing rights. It is understood that a temporary allowance and that will be dependent upon the amount in the static water level. This was for measuring depth to water. It is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level in the static water level. This was for measurements must be kept of was intained in the discharge pipel: measurements must be kept of was remust be installed before any to Completion of Work is filed. The by the State Engineer, pursuant to regulate the use of the was
Protested	APPROVA s to certify that I have examined the mitations and conditions: This permit is issued so amount of water herein go a water actually placed to the must allow for a reasonable be equipped with a two (if well is flowing, a valve more than the point of diversion to beneficial use. The water begins, or before the is located within an asserting meter must be in the point of diversion to be a located within an asserting meter and all the transfer of the point of diversion to be a located within an asserting meter and all the transfer of the point of diversion to be a located within an asserting meter and all the point of the point of diversion to be a located within an asserting meter and all the point of th	foregoing application ubject to exist ranted is only der this permit beneficial use le lowering of 2) inch opening ust be installed nstalled and ma and accurate in totalizing mete the Proof of rea designated in ains the righ imes. end the permitt	TE ENGINEER In, and do hereby grant the same, subject to sing rights. It is understood that a temporary allowance and that will be dependent upon the amount it is also understood that the static water level. This was for measuring depth to water do and maintained to prevent was intained in the discharge pipels measurements must be kept of was roughletion of Work is filed. The by the State Engineer, pursuant to regulate the use of the was
This if following lift the fina of right shall the A to near place of sour NRS here on p (CON) The amount to exceed mill Work must	s to certify that I have examined the mitations and conditions: This permit is issued so amount of water herein go amount of water herein go amount of water herein go amount of water actually placed to the must allow for a reasonable be equipped with a two (for well is flowing, a valve more than the point of diversions to beneficial use. The water begins, or before the is located within an assistant and all the private of the state retains granted at any and all the private or corporate private on page 2) It of water to be appropriated shall be a state of the page 2.	foregoing application ubject to exist ranted is only der this permit beneficial use le lowering of 2) inch opening ust be installed nstalled and ma and accurate in totalizing mete the Proof of rea designated in ains the righ imes. end the permitt	TE ENGINEER In, and do hereby grant the same, subject to sing rights. It is understood that a temporary allowance and that will be dependent upon the amount it is also understood that the static water level. This was for measuring depth to water do and maintained to prevent was intained in the discharge pipels measurements must be kept of was roughletion of Work is filed. The by the State Engineer, pursuant to regulate the use of the was
the fina of right shall the A the near place of sour NRS here on processor on the amount of the amount to exceed the mill work must	s to certify that I have examined the mitations and conditions: This permit is issued so amount of water herein go a water right obtained under the state of the must allow for a reasonable of the equipped with a two (if well is flowing, a valve more than the point of diversion of the point of diversion of the point of diversion of the beneficial use. The swater begins, or before the is located within an assertion of the state retain granted at any and all the this permit does not extend the point of corporate of the point of the state retaining the state of the point of the state retain granted at any and all the state of the point of the state o	foregoing application ubject to exist ranted is only der this permit beneficial use le lowering of 2) inch opening ust be installed and ma and accurate totalizing metet the Proof of crea designated ains the rightimes.	ing rights. It is understood that a temporary allowance and that will be dependent upon the amount in the static water level. This was for measuring depth to water. It is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level. This was intained in the discharge pipel: measurements must be kept of war must be installed before any to completion of Work is filed. The by the State Engineer, pursuant to regulate the use of the war
the fina of right shall the A the near place of sour NRS here on processor on the amount of the amount to exceed the mill work must	mitations and conditions: This permit is issued so amount of water herein go amount of water herein go amount of water actually placed to the must allow for a reasonable be equipped with a two () well is flowing, a valve motalizing meter must be in the point of diversion at the point of diversion at the begins, or before the is located within an as 534.030. The State retain granted at any and all the This Permit does not extend the private or corporate FINUED ON PAGE 2)	ubject to exist ranted is only der this permit beneficial use le lowering of 2) inch opening ust be installed and ma and accurate totalizing mete the Proof of rea designated ains the rightimes.	ing rights. It is understood that a temporary allowance and that will be dependent upon the amount it is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level. This was intained in the discharge pipels measurements must be kept of war must be installed before any completion of Work is filed. The by the State Engineer, pursuant to regulate the use of the war
the fina of right shall the A the near place of sour NRS here on processor on the amount of the amount to exceed the mill work must	mitations and conditions: This permit is issued so amount of water herein go amount of water herein go amount of water actually placed to the must allow for a reasonable be equipped with a two () well is flowing, a valve motalizing meter must be in the point of diversion at the point of diversion at the begins, or before the is located within an as 534.030. The State retain granted at any and all the This Permit does not extend the private or corporate FINUED ON PAGE 2)	ubject to exist ranted is only der this permit beneficial use le lowering of 2) inch opening ust be installed and ma and accurate totalizing mete the Proof of rea designated ains the rightimes.	ing rights. It is understood that a temporary allowance and that will be dependent upon the amount it is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level. This was for measuring depth to water. It is also understood that the static water level. This was intained in the discharge pipels measurements must be kept of war must be installed before any completion of Work is filed. The by the State Engineer, pursuant to regulate the use of the war
not to excee	-		•
mill Work must	и 1.0		unt which can be applied to beneficial use,
Work must	~	cubic feet p	per second , but not to exceed 100
	ion gallons annually.		
Proof of co	be prosecuted with reasonable diligen	ce and be completed	on or before December 30, 19
	mpletion of work shall be filed before.		January 30, 199
Application	of water to beneficial use shall be fil	ed on or before	December 30, 199
			efore January 30, 19
			N/A
			HEREOF, I PETER G. MORROS
	eficial use filed		Nevada, have hereunto set my hand and the sea
	• filed	my office, this 30.	th December December
		A.D88.	
	OIssued		tu Morro
	SUL 2 6 1991 BECAUSE OF FA BECAUSE OF FA BECAUSE OF FA STATE ENG	FRANT	State Engineer

(PERMIT TERMS CONTINUED)

No perforations shall be put in the production casing from ground level to $100\ \text{feet}$.

The total combined duty of water under Permits 52005, 52006, 52007, 52008, 52009 and 52010 shall not exceed 100 million gallons annually.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

